



Gate Accessories

Additions to our standard gate specifications

While Alexandra gates come with a number of security features, we understand that sometimes additional security is needed for your gate.

Key locks are available in a variety of styles, with either each key being the same, or individual keys per lock. Locks can be repeated on both sides of the gate, or the reverse side can have a quick release latch or push-pad.


When quick release latches are fitting, shrouds are a particularly effective security feature to prevent the opening of the gate by reaching through the mesh.

All of the locks, keypads, shrouds and self-closers we offer here can be fitted to any gate in our range. Contact our team to discuss the best gate accessories for your particular requirements.

ProtekTor Lock®

The ProtekTor Lock® offers a mortice lock and slide bolt construction, which is designed to provide a very high level of lock security.

The additional benefit of this lock is its ease of integration into our full range, making it the only key lock that offers a high level of security even on double leaf gates.



- | | | | |
|---|----------------------------------------|----|-----------------------------------------|
| 1 | ProtekTor Lock surround | 8 | M8 Kinmar stainless steel removable nut |
| 2 | Front Plate - Fully welded to surround | 9 | Assa Abloy mortice lock |
| 3 | ProtekTor slide bar | 10 | M8 Kinmar stainless steel removable nut |
| 4 | Slide handle | 11 | 70mm Yale Anto snap cylinder |
| 5 | Back plate | 12 | M8 stainless cup square bolt |
| 6 | MUL-T-LOCK cylinder protector | 13 | Mortice lock housing (2 parts) |
| 7 | Handle mount to slide | | |



Locinox

Key Lock

High quality gate lock with aluminium housing and stainless steel mechanism.

- ✦ ISO 9227 KTL / E-coated lock box withstands 1000 hours of salt spray test
- ✦ Easy left or right changing of the self-latching daybolt
- ✦ 23 mm throw of the dead bolt, in 1 turn of the key
- ✦ Key-operated self-latching bolt



Locinox

Digi Lock

Superb mechanical code lock with aluminium housing and stainless steel mechanism. Available in single and double sided versions.

- ✦ ISO 9227 KTL / E-coated lock box withstands 1000 hours of salt spray test
- ✦ Code panel with stainless steel push buttons on one side
- ✦ Polyamide rain and dust cover



Locinox

Child Safety Lock

Child safety gate lock with stainless steel mechanism and polyamide housing.

- ✦ Stainless steel lock mechanism
- ✦ Polyamide lock box
- ✦ With adjustable rollerbolt for easy closing



Gatemaster Digi Lock

Marine-grade digital keypad lock that requires no power supply.

- Auto-latching – close the gate and the latchbolt latches into the gate frame. To open the gate - enter the code and turn the handle.
- Tested to over 1000 hours salt spray.
- Long lasting – Brass bearing plate supports the latchbolt reducing wear and increasing product life.



Gatemaster Superlock

Stainless steel digital keypad lock that requires no power supply.

- Auto-latching – close the gate and the latchbolt latches into the gate frame. To open the gate - enter the code and turn the handle.
- Latchbolt can be adjusted in length.
- Long lasting - Bolt support plate with brass bearing ensures lock will last.

Available with double-sided superlock or single handle or quick release button on reverse.



Gatemaster Bolt-On Latch

Stainless steel latchbolt springs 13mm into the gate post to hold the gate closed.

- Adaptable – Latchbolt is adjustable in length and can be rotated for left or right handed gates.
- Reliable – Supplied with a guide plate with brass bearing to ensure the lock lasts!
- Supplied with handles – Two styles available a plain lever style (AH) or a more traditional looking handle (TDH).



LOCINOX



LOCINOX



LOCINOX

Locinox

Maglock

External stainless steel flush magnet, with electronics internally protected. For fail safe use in harsh environments.

- 500h salt spray resistant! SGS certified (ISO 9227).
- Special two-layer protective coating developed for outdoor use.
- Anti-residual magnetism kick-off system.
- Current: 460mA / 12V or 230mA / 24V.

Locinox

Panic Latch & Padlock Shroud

An effective way of protecting the panic latch or padlock from being tampered with.

Locinox

Tiger & Mammoth Gate Self Closers

180° self-closing hydraulic hinges. Tiger is recommended for smaller gates, while Mammoth is recommended for gates up to 150 kg and 1500 mm wide.

- Powder coated aluminium housing.
- Closing speed unaffected by humidity and temperature changes.